PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference	EOD EUDTUED ACTION	See Form DCT/IDF A /A1.C				
Zr 5085 WO	FOR FURTHER ACTION	See Form PCT/IPEA/416				
International application No. International filing		onth/year) Priority date (day/month/year)				
PCT/EP2004/002704 16.03.2004		21.03.2003				
International Patent Classification (IPC) or national	onal classification and IPC					
	······································					
Applicant						
MOKVELD VALVES B.V.						
	· · · · · · · · · · · · · · · · · · ·					
This report is the international prelin under Article 35 and transmitted to th	1. This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.					
2. This REPORT consists of a total of	2. This REPORT consists of a total of 5 sheets, including this cover sheet.					
3. This report is also accompanied by A	NNEXES, comprising:					
a. (sent to the applicant and	to the International Bureau) a t	otal of 1 sheets, as follows:				
sheets of the descrip	tion, claims and/or drawings w	nich have been amended and are the basis for this report and/or				
sheets containing real Instructions).	sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative					
sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental						
Box.						
b (sent to the International	b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s))					
, containing a sequence listing and/or tables						
related thereto, in computer readable form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).						
4. This report contains indications relating to the following items:						
Box No. I Basis of the	Box No. I Basis of the report					
Box No. II Priority	•					
	shment of oninion with regard t	o novelty, inventive step and industrial applicability				
Box No. IV Lack of unity of invention						
Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement						
Box No. VI Certain doc	Box No. VI Certain documents cited					
Box No. VII Certain defects in the international application						
Box No. VIII Certain observations on the international application						
Date of submission of the demand Date of completion of this report						
Sale of Submission of the demand		completion of this report				
Name and mailing address of the IPEA/EP		zed officer				
Facsimile No		one No				

Translation

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.
PCT/EP2004/002704

Box	No. I		Basis of the report		
1.	With r	regard t	to the language, this report is based on the internation ler this item.	al application in the language in v	which it was filed, unless otherwise
		which i	port is based on translations from the original language is the language of a translation furnished for the purponternational search (Rule 12.3 and 23.1(b)) sublication of the international application (Rule 12.4) international preliminary examination (Rule 55.2 and/o	ses of:	,
2.	receive this re	ving Off eport): the inte	to the elements of the international application, this refice in response to an invitation under Article 14 are ernational application as originally filed/furnished erription: 1-8	referred to in this report as "or	iginally filed" and are not annexed to
		pages			as originally filed/furnished
		pages*			
	\square			received by this Authority on	
		the cla	ims:		
		nos.			as originally filed/furnished
		nos.*	1-6		r with any statement) under Article 19 21.01.2005 with the letter of 21.01.2005
		nos.*		received by this Authority on	
	\boxtimes	the dra	wings:		as originally filed/furnished
		sheets'			as originally intertainished
		sheets'			
			ence listing and/or any related table(s) – see Supplem	•	intina
				ental Box Relating to Sequence L	asung.
3.			mendments have resulted in the cancellation of:		
l			the description, pages		
			the claims, nos.		
ļ			the sequence listing (specify):		
١.					
4.		they h	report has been established as if (some of) the amend have been considered to go beyond the disclosure as fi	led, as indicated in the Supplement	ntal Box (Rule 70.2(c)).
			the description, pages		
		=	the claims, nos.		
			the drawings, sheets/figs		
			the sequence listing (specify):		
			any table(s) related to sequence listing (specify):		
*	If ite	m 4 app	plies, some or all of those sheets may be marked "sup	erseded."	

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.
PCT/EP2004/002704

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement		91		
1.	Statement			
	Novelty (N)	Claims	1-6	YES
		Claims		NO
	Inventive step (IS)	Claims	1-6	YES
		Claims		NO
	Industrial applicability (IA)	Claims	1-6	YES
		Claims		NO

2. Citations and explanations (Rule 70.7)

Reference is made to the following document:

D1: DE 37 31 349 A (MOKVELD) 30 March 1989 (1989-03-30)

Document D1 is considered the prior art closest to the subject matter of claim 1 and discloses:

an annular gap seal for a valve, with which the flow of a fluid from a high-pressure side to a low-pressure side of the valve can be blocked in a blocking position, the valve comprising a cylinder, through which the fluid can flow and in which a piston can be axially displaced, it being possible to seal an annular gap between the piston and the cylinder in the blocking position using the annular gap seal, which lies in a groove that runs around the cylinder, each side of the groove having an axially projecting, circulatory lug, with two mirror-symmetrical sealing rings which are arranged in the groove so that they are axially adjacent being provided, and in the blocking position the fluid from the high-pressure

International application No.
PCT/EP2004/002704

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

side causing a sealing face of a first sealing ring facing the low-pressure side to be pressed in a fluid-tight manner against a wall of the groove.

The subject matter of claim 1 thus differs from the known sealing device in that:

in the blocking position, the fluid from the highpressure side causes a sealing shoulder of the
first sealing ring facing the low-pressure side to
be pressed in a fluid-tight manner against the
axially projecting, circulatory lug in the groove
and a sealing lip of the first sealing ring facing
the low-pressure side to be pressed in a fluidtight manner against the piston.

The subject matter of claim 1 is thus novel (PCT Article 33(2)).

The present invention can therefore be considered to address the problem of guaranteeing sealing both in the designated direction of flow and counter to the designated direction of flow, thereby minimising leakage flows.

The solution to this problem as proposed in claim 1 of the present application involves an inventive step (PCT Article 33(3)) for the following reasons: there is nothing in the prior art that would prompt a person skilled in the art to solve the problem in this manner.

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.
PCT/EP2004/002704

Box No. V	Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
	Claims 2-6 are dependent on claim 1 and therefore
	likewise meet the PCT requirements for novelty and
	inventive step.
	<i>j</i> (5